
















Fleetguard® AF 252
14328-080100
MADE IN AUSTRALIA



CONNECTION DIAGRAM

HIGH VOLTAGE T1 P1 LOW VOLTAGE



RING COMPRESSOR

MODEL VFC501A-7W

PHASE 3 VOLTS 230/460 HZ 50/60

RATED HP 2.7 AMP 6.9/3.5 RPM 3420

MAX. PRESSURE 75" H₂O MAX. CFM 145

THERMALLY PROTECTED (PILOT DUTY)

SER. NO. _____

 **FUJI ELECTRIC CO. LTD.**

MADE IN JAPAN

Y5527805-0

**CYCLONAIR BLOWER
ROTRON INC.**

WOODSTOCK N.Y. 12498

MODEL CH6 THERMALLY PROTECTED F

VOLTS 230/460 Hz 50/60 (PILOT DUTY)

MAX.PRESSURE 120.0 "H₂O MAX.CFM 200.0

PHASE 3 DATE CODE

RATING(PRESSURE):SP 60.0 "H₂O@ 130.0 CFM

HP 4.2 AMP 10.0/5.0 RPM 3420

76.0" H₂O IS MAX.RECOMMENDED CONTINUOUS DUTY

PRESSURE AT AMBIENT OF 40°C (MAX.)

FUJI ELECTRIC CO.LTD MADE IN JAPAN

3511009-0