









Control panel area featuring a red emergency stop button, a green indicator light, and a black power switch. The brand name "Rapid" is visible below the controls.

⚠️
The operator must always use the instructions
provided with the generator. The manufacturer and
Rapid shall not be held liable for any damage or
injury caused by the use of the generator.
A responsible person must always be present.
Do not use the generator in enclosed spaces.
Do not use the generator for purposes not
intended by the manufacturer.






AVVERTENZE DI SICUREZZA
Leggere attentamente le avvertenze
di sicurezza riportate in questo
libretto prima di usare l'attrezzo.
Non toccare parti in movimento.
Non usare l'attrezzo se non è
completamente asciutto.



Rapic granulator







SCHEIDT & BOMMER
6003 1871
S0347-24 V180000
AC 220V
14.00A 180°
S6

REC-10 B.C.10





Rapid








Rapid

M2

SWEDRIVE AB
Made in Sweden by

0 1



kW	Hz	V	A	r/m	-M.
					IP
					S
					I. cl.

IFC 34-1

 **Rapid**

The operator must study the instruction manual prior to using the machine.

Vor der Inbetriebnahme bzw. Benutzung der Maschine muß der Bediener die Bedienungsanleitung sorgfältig durchlesen.

L'opérateur doit avoir étudié le manuel d'instruction avant d'utiliser la machine.

L'operatore deve leggere attentamente il libretto istruzioni prima dell'uso.

De bediener dient het instructieboek voor gebruik te bestuderen.



RAPID



The operator must study the instruction manual prior to using the machine.
Vor der Inbetriebnahme bzw. Benutzung der Maschine muß der Bediener die Bedienungsanleitung sorgfältig durchlesen

TYPE F05060 RATIO 45

No 72705-06 DISP 301

Delivered with oil SHELL TIVELA SD

Made in Sweden by

SWEDRIVE AB

kW	Hz	V	A	r/m	3~M.
0.37	50	220-240 D	1.9	1380	IP 54
0.37	50	300-420 Y	1.1	1380	S 1
0.37	60	440 Y	1.1	1655	I.cl.F
SWEDRIVE AB		S-340 14 Lagan Sweden	Type DP16 71B-4		IEC 34-1

4 5



Rapid

MASKIN AB RAPID
S 330 10 Bredaryd
Sweden

Machine type
Maschinentyp
Type de machine

Maskintyp

1521-A

Serial number
Herstellingsnummer
Numéro de série

Tillverkningsnummer

250 3034

Supply voltage
Hauptspannung
Alimentation électrique

Huvudspänning

400 V 3 ph. 50 Hz

Wiring diagram
Elektrischer Schaltplan
Schéma électrique

Elschema

9-11307

Fuse
Sicherung
Fusible

Säkring

see electric
diagram A

Manufacturing year
Herstellungsjahr
Année de fabrication

Tillverkningsår

1998





Rapid