































SPAGGIARI ITALIA
TRANSMISSION
N. 0071250
TYPE SW/0501
7.5
lubricated: AGIP



seppes
S.p.A.
REG. M. 1
CE
IP 54

LT	TIPO	OM	7-110	kg	6,3	100%
SI	11CL.F	IP 54	50/60 Hz	A	10	100%
NV	230/240	V	Δ/Y	A	10	100%
Δ/Y	230/240	V	Δ/Y	A	10	100%
IP	54					
MT	1000	1000				



seippee

S.P.A.
059880108
059880128

PRODUCED BY



IEC 34-1

MOT TIPO GM		71a	4	SKF
Nr.		1513/847	Kg 8.5	
S1	I.CL.F	IP 55	cos φ 0.7/0.85	
kW	Δ/Y	V	Δ/Y	A Hz
0.25	230/400		1.4/0.85	50
0.37	275/480		1.4/0.77	50
		1395/1670	min ⁻¹	

Telemecanique **ATV18U18N4** Motor Rating :  **SQUARE D**

 **UL** Input V : 380/460V - 50/60Hz Output 3 Ph : 380/460V
LISTED 178 M. Input Phase : 3 Output I : 2.1A  **SFC**  **N998**
IND. CONT. EQ. Input I : 2.9/2.7A Output I max. transient (1mn) : 3.2A
Input fuse : Type CC or J : 5A Max Output frequency : 0.5 - 320Hz

Cu AWG 10 : 75°C : 11lb in / 1.2 Nm Encl. Type1

 **CE**  AIC 5000A Motor Protection Class 10

Serial No.8104090286 JAPAN 0104

