























BALDOR ELECTRIC CO. LC0044

OPT. T-STAT

LOW VOLT CONN. MED. VOLT CONN. HIGH VOLT CONN.

J J

TO REMOTE CONTROL

TO REVERSE ROTATION: INTERCHANGE ANY TWO LINE LEADS

THERMOSTAT RATING

VOLTS	115	230	460	575
AMPS	6.0	3.0	1.5	1.2

USE A MANUAL MOMENTARY START SWITCH ONLY

BALDOR
INDUSTRIAL MOTOR

MODEL: 5821T-50
SPEED: 3500 RPM
TEFC
SERIAL NO. 111111
DATE: 11/11/11


CHANGE ANY
VG
0 575
1.2
SWITCH ONLY

BALDOR®

INDUSTRIAL MOTOR

CAT. NO.	M3211T-50		
SPEC.	36B01W572		
FRAME	182T	SER.	F688
H.P.	3	DP	
VOLTS	220/380/440		
AMPS	9.2/5.4/4.6		
R.P.M.	1425		
HZ	50	PH.	3 CLASS B
SER. F.	1.15	DES.	B CODE H
FULL LOAD EFF.	78.5	PF	84%
RATING	400 AMB-CONT		

BALDOR ELECTRIC CO
P.O. BOX 1000
MILWAUKEE, WIS. 53211





MODEL 15 - 15MB
MAX. CYLINDER
DESIGN PRESSURE 8000 PSIG
SERIAL NO. 108810887
SAULIN EVERETT, MASSACHUSETTS, U.S.A.